# ABclomal www.abclonal.com

# MAN1B1 Rabbit pAb

Catalog No.: A13784

# **Basic Information**

#### **Observed MW**

80kDa

#### **Calculated MW**

80kDa

#### Category

Polyclonal Antibody

#### **Applications**

WB,ELISA

### **Cross-Reactivity**

Human, Mouse, Rat

# **Background**

This gene encodes an enzyme belonging to the glycosyl hydrolase 47 family. This enzyme functions in N-glycan biosynthesis, and is a class I alpha-1,2-mannosidase that specifically converts Man9GlcNAc to Man8GlcNAc isomer B. It is required for N-glycan trimming to Man5-6GlcNAc2 in the endoplasmic-reticulum-associated degradation pathway. Mutations in this gene cause autosomal-recessive intellectual disability. Alternative splicing results in multiple transcript variants. A related pseudogene has been identified on chromosome 11.

# **Recommended Dilutions**

WB 1:500 - 1:2000

**ELISA** 

Recommended starting concentration is 1 µg/mL. Please optimize the concentration based on your specific

assay requirements.

# **Immunogen Information**

**Gene ID**Swiss Prot
11253
Q9UKM7

#### **Immunogen**

Recombinant fusion protein containing a sequence corresponding to amino acids 1-290 of human MAN1B1 (NP\_057303.2).

#### **Synonyms**

MRT15; ERMAN1; ERManI; MANA-ER; MAN1B1

# Contact

www.abclonal.com


# **Product Information**

SourceIsotypePurificationRabbitIgGAffinity purification

# Storage

Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thimerosal,50% glycerol,pH7.3.

# Validation Data



Western blot analysis of various lysates using MAN1B1 Rabbit pAb (A13784) at 1:3000 dilution.

Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.

Lysates/proteins: 25µg per lane.

Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Basic Kit (RM00020).

Exposure time: 90s.