# **SLMAP Rabbit pAb**

Catalog No.: A14367



#### **Basic Information**

Observed MW 45kDa

Calculated MW 95kDa

**Category** Polyclonal Antibody

Applications WB,ELISA

Cross-Reactivity Mouse,Rat

#### Background

This gene encodes a component of a conserved striatin-interacting phosphatase and kinase complex. Striatin family complexes participate in a variety of cellular processes including signaling, cell cycle control, cell migration, Golgi assembly, and apoptosis. The protein encoded by this gene is a coiled-coil, tail-anchored membrane protein with a single C-terminal transmembrane domain that is posttranslationally inserted into membranes. Mutations in this gene are associated with Brugada syndrome, a cardiac channelopathy. Alternative splicing results in multiple transcript variants.

## Recommended Dilutions

WB 1:500 - 1:2000 ELISA Recommended starting concentration is 1 µg/mL. Please optimize the concentration based on your specific assay requirements.

## **Immunogen Information**

**Gene ID** 7871 Swiss Prot Q14BN4

#### Immunogen

Recombinant fusion protein containing a sequence corresponding to amino acids 540-790 of human SLMAP (NP\_009090.2).

## Synonyms

SLAP; SLMAP

## Contact

#### **Product Information**

www.abclonal.com


#### **Source** Rabbit

**Isotype** IgG **Purification** Affinity purification

#### Storage

Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thimerosal,50% glycerol,pH7.3.

## **Validation Data**



Western blot analysis of various lysates using SLMAP Rabbit pAb (A14367) at 1:3000 dilution.

Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.

Lysates/proteins: 25µg per lane.

Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Basic Kit (RM00020).

Exposure time: 30s.