PP2A-B56δ/PR61δ/PPP2R5E Rabbit pAb

Catalog No.: A15084



Basic Information

Observed MW 54kDa

Calculated MW 55kDa

Category Polyclonal Antibody

Applications WB,ELISA

Cross-Reactivity Human, Mouse

Background

The protein encoded by this gene belongs to the phosphatase 2A regulatory subunit B family. Protein phosphatase 2A is one of the four major Ser/Thr phosphatases, and it is implicated in the negative control of cell growth and division. It consists of a common heteromeric core enzyme, which is composed of a catalytic subunit and a constant regulatory subunit, that associates with a variety of regulatory subunits. The B regulatory subunit might modulate substrate selectivity and catalytic activity. This gene encodes an epsilon isoform of the regulatory subunit B56 subfamily. Multiple transcript variants encoding several different isoforms have been found for this gene.

Recommended Dilutions

WB 1:500 - 1:2000 ELISA Recommended starting concentration is 1 µg/mL. Please optimize the concentration based on your specific assay requirements.

Immunogen Information

Gene ID 5529 Swiss Prot Q16537

Immunogen

Synthetic peptide. This information is considered to be commercially sensitive.

Synonyms

B56E; B56epsilon; PP2A-B56δ/PR61δ/PPP2R5E

Contact

Product Information


www.abclonal.com

Source Rabbit **Isotype** IgG **Purification** Affinity purification

Storage

Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thimerosal,50% glycerol,pH7.3.

Validation Data



Western blot analysis of various lysates using PP2A-B568/PR618/PPP2R5E Rabbit pAb (A15084) at 1:1000 dilution. Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution. Lysates/proteins: 25µg per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit (RM00020). Exposure time: 1s.