POMK Rabbit pAb

Catalog No.: A15529



Basic Information

Observed MW 45kDa

Calculated MW 40kDa

Category Polyclonal Antibody

Applications WB,ELISA

Cross-Reactivity Mouse,Rat

Background

This gene encodes a protein that may be involved in the presentation of the lamininbinding O-linked carbohydrate chain of alpha-dystroglycan (a-DG), which forms transmembrane linkages between the extracellular matrix and the exoskeleton. Some pathogens use this O-linked carbohydrate unit for host entry. Loss of function compound heterozygous mutations in this gene were found in a human patient affected by the Walker-Warburg syndrome (WWS) phenotype. Mice lacking this gene contain misplaced neurons (heterotopia) in some regions of the brain, possibly from defects in neuronal migration. Alternative splicing of this gene results in multiple transcript variants.

Recommended Dilutions

WB	1:200 - 1:2000
ELISA	Recommended starting concentration is 1 µg/mL. Please optimize the concentration based on your specific assay requirements.

Immunogen Information

Gene ID 84197 Swiss Prot Q9H5K3

Immunogen

Recombinant protein (or fragment). This information is considered to be commercially sensitive.

Synonyms

SGK196; MDDGA12; MDDGC12; POMK

Product Information


www.abclonal.com

Source Rabbit **Isotype** IgG **Purification** Affinity purification

Storage

Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thimerosal,50% glycerol,pH7.3.

Validation Data



Western blot analysis of various lysates using POMK Rabbit pAb (A15529) at 1:1000 dilution.

Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.

Lysates/proteins: 25µg per lane.

Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Basic Kit (RM00020).

Exposure time: 30s.