# CCL4 Rabbit pAb

Catalog No.: A1671 2 Publications



# **Basic Information**

**Observed MW** 12kDa

**Calculated MW** 10kDa

Category **Polyclonal Antibody** 

Applications WB,ELISA

**Cross-Reactivity** Rat

# Background

The protein encoded by this gene is a mitogen-inducible monokine and is one of the major HIV-suppressive factors produced by CD8+ T-cells. The encoded protein is secreted and has chemokinetic and inflammatory functions.

## **Recommended Dilutions**

WB	1:500 - 1:1000
ELISA	Recommended starting
	μg/mL. Please optimize
	the concentration
	based on your specific
	assay requirements.

# **Immunogen Information**

Gene ID	Swiss Prot
6351	P13236

#### Immunogen

A synthetic peptide corresponding to a sequence within amino acids 1-92 of human CCL4 (NP\_002975.1).

#### **Synonyms**

ACT2; G-26; HC21; LAG1; LAG-1; MIP1B; SCYA2; SCYA4; MIP1B1; AT744.1; MIP-1-beta; CCL4

Contact
---------

# **Product Information**

Ð www.abclonal.com

Source Rabbit


Isotype IgG

Purification Affinity purification

### Storage

Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.09% Sodium azide, 50% glycerol, pH7.3.

# Validation Data



Western blot analysis of various lysates using CCL4 Rabbit pAb (A1671) at 1:1000 dilution.

Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.

Lysates/proteins: 25µg per lane.

Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Basic Kit (RM00020).

Exposure time: 180s.