# ABclonal® www.abclonal.com

## **ARIH1 Rabbit pAb**

Catalog No.: A17123 3 Publications

## **Basic Information**

#### **Observed MW**

64kDa

#### **Calculated MW**

64kDa

#### Category

Polyclonal Antibody

## **Applications**

WB,ELISA

## **Cross-Reactivity**

Human, Mouse, Rat

## **Background**

Enables enzyme binding activity; ubiquitin-protein transferase activity; and zinc ion binding activity. Involved in protein ubiquitination. Located in Lewy body; cytoplasm; and nuclear body. Colocalizes with cullin-RING ubiquitin ligase complex.

## **Recommended Dilutions**

**WB** 1:500 - 1:1000

**ELISA** 

Recommended starting concentration is 1 µg/mL. Please optimize the concentration based on your specific assay requirements.

## **Immunogen Information**

 Gene ID
 Swiss Prot

 25820
 Q9Y4X5

### **Immunogen**

Synthetic peptide. This information is considered to be commercially sensitive.

## **Synonyms**

ARI; HARI; HHARI; UBCH7BP; ARIH1

## **Contact**

www.abclonal.com


## **Product Information**

SourceIsotypePurificationRabbitIgGAffinity purification

#### Storage

Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thimerosal,50% glycerol,pH7.3.

## Validation Data



Western blot analysis of various lysates using ARIH1 Rabbit pAb (A17123) at 1:1000 dilution.

Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) (AS014) at 1:10000

dilution.

Lysates/proteins: 25µg per lane.

Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Basic Kit (RM00020).

Exposure time: 90s.