Leader in Biomolecular Solutions for Life Science



K63-linkage Specific Polyubiquitin Rabbit pAb

Catalog No.: A18164 6 Publications

Basic Information

Observed MW

15-200kDa

Calculated MW

Category

Polyclonal Antibody

Applications

ELISA, DB

Cross-Reactivity

Human, Mouse, Rat, Other (Wide Range Predicted)

Background

Ubiquitination, one type of the most common post-

translation almo dification, mediates the regulation of protein homeostasis in vivo. Since ubiquitinits elfcontains multiplely since residues and one N-

terminalfreeaminogroup, eighttypes of ubiquitinchains can be formed.? K63-linked polyubiquitin chains exert nonproteolytic functions in vivo, such as protein trafficking, kinase/phosphatase activation, and DNA damage control, all of which might be important in regulation of cancer survival and development (PMID: 19217402, PMCID: PMC3008764).

Recommended Dilutions

DB 1:500 - 1:1000

ELISA

Recommended starting concentration is 1 µg/mL. Please optimize the concentration based on your specific assay requirements.

Immunogen Information

Gene ID Swiss Prot

Immunogen

A synthetic peptide corresponding to a sequence containing polyubiquitinated protein (K63 linkage).

Synonyms

Contact


www.abclonal.com

Product Information

SourceIsotypePurificationRabbitIgGAffinity purification

Storage

Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.05% proclin300,50% glycerol,pH7.3.



Dot-blot analysis of all sorts of peptides using K63-linkage Specific Polyubiquitin antibody (A18164) at 1:1000 dilution.