# 2'-O-Methylguanosine(Gm) Rabbit pAb

Catalog No.: A20697



### **Basic Information**

**Observed MW** Refer to figures

**Calculated MW** 

Category Small Molecule-specific Antibody

**Applications** ELISA,DB

**Cross-Reactivity** Species independent

### Background

RNA methylation plays a significant regulatory role in various of physiological activities and it has gradually become a hotspot of epigenetics in the past decade. 2'-Omethyladenosine (Am), 2'-O-methylguanosine (Gm),2'-O-methylcytidine (Cm),2'-Omethyluridine (Um),N 6-methyladenosine (m6A), N 1-methylguanosine (m1G),5methylcytidine (m5C),and 5-methyluridine (m5U) are representative 2'-O-methylation and base-methylation modified epigenetic marks of RNA. 2'-O-methyltransferase is a modified nucleoside that is produced in tRNAs by the action of tRNA guanosine-2'-Omethyltransferase, using S-adenosyl-L-methionine as a substrate. Through its interaction with other modified nucleosides, 2'-O-methylguanosine is thought to stabilize the structure of the tRNA.

# **Recommended Dilutions**

DB 1:500 - 1:2000 ELISA Recommended starting concentration is 1 µg/mL. Please optimize the concentration based on your specific assay requirements.

# **Immunogen Information**

### Gene ID **Swiss Prot**

Immunogen Chemical compounds corresponding to 2'-O-Methylguanosine(Gm).

Synonyms

# **Product Information**

G www.abclonal.com Source Rabbit

Isotype IgG

Purification Affinity purification

### Storage

Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thimerosal, 50% glycerol, pH7.3.

### Validation Data



The 2'-O-methylguanosine(Gm) Rabbit pAb(A20697) are tested in Dot Blot against 2'-Omethylguanosine(Gm) and unmodified guanosine. Gm-3 : 5'Biotin-GCATAATGACTACT(Gm)3' Gm-4 : 5'Biotin-GCATAATGACTACTG3'