Prdm9 Rabbit mAb

Catalog No.: A20832 Recombinant



Basic Information

Observed MW

Refer to figures

Calculated MW

97kDa

Category

SMab Recombinant Monoclonal Antibody

Applications

IHC-P,ELISA,CUT&Tag

Cross-Reactivity

Human, Mouse, Rat

CloneNo number

ARC51589

Background

Enables DNA binding activity; histone-lysine N-methyltransferase activity; and protein homodimerization activity. Involved in several processes, including gamete generation; histone lysine methylation; and meiosis I. Acts upstream of or within several processes, including histone methylation; positive regulation of meiotic nuclear division; and positive regulation of transcription by RNA polymerase II. Located in chromatin and nucleus. Is expressed in embryo and head. Orthologous to human PRDM9 (PR/SET domain 9).

Recommended Dilutions

IHC-P 1:500 - 1:1000

ELISA Recommended starting

concentration is 1 µg/mL. Please optimize the concentration based on your specific assay requirements.

CUT&Tag 10⁵ cells /1 μg

hased on your specific

Contact

www.abclonal.com

Immunogen Information

Gene ID213389

Swiss Prot
Q96EQ9

Immunogen

Recombinant fusion protein containing a sequence corresponding to amino acids 87-370 of mouse Prdm9 (NP_659058.3).

Synonyms

Rcr1; Dsbc1; repro7; Meisetz; PRDM9-B; G1-419-29; Prdm9


Product Information

SourceIsotypePurificationRabbitIgGAffinity purification

Storage

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS with 0.05% proclin300,0.05% BSA,50% glycerol,pH7.3.



CUT&Tag was performed using the CUT&Tag Assay Kit (pAG-Tn5) for Illumina(RK20265) from 10⁵ Hep G2 cells with 1 µg Prdm9 Rabbit mAb (A20832), along with a Goat Anti-Rabbit IgG(H+L). The CUT&Tag results indicate the enrichment pattern of Prdm9 in representative gene loci (GAPDH), as shown in figure.