Leader in Biomolecular Solutions for Life Science

# Coenzyme NAD Rabbit pAb

Catalog No.: A21048



### **Basic Information**

#### **Observed MW**

Refer to figures

#### **Calculated MW**

#### **Category**

Small Molecule-specific Antibody

### **Applications**

ELISA, DB

### **Cross-Reactivity**

Species independent

### **Background**

NAD+, as a key coenzyme in eukaryotic organisms, determines hundreds of enzymatic reactions. The coenzyme NAD is involved in oxidation–reduction reactions critical for glycolysis, fatty acid oxidation, the TCA cycle, and complex I of the mitochondrial respiratory chain and also is a key regulator of autophagy. In addition, NAD+ can also indirectly regulate the process of anti-stress, cell growth, anti-inflammatory and antiaging processes by regulating the function of Sirtuins factor which has NAD+ dependent protein deacetylation activity. The decline of NAD+ level will also lead to heart failure and Alzheimer's disease.

### **Recommended Dilutions**

DB 1:500 - 1:1000

### **Immunogen Information**

Gene ID Swiss Prot

**Immunogen** 

NAD

**Synonyms** 

### **Contact**

www.abclonal.com


### **Product Information**

SourceIsotypePurificationRabbitIgGAffinity purification

### Storage

Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.05% proclin300,50% glycerol,pH7.3.

## **Validation Data**



Dot-blot analysis of all sorts of chemical compounds using Coenzyme NAD antibody (A21048) at 1:1000 dilution.