PXDN Rabbit mAb

Catalog No.: A26777 Recombinant



Basic Information

Observed MW 165kDa

Calculated MW 165kDa

Category SMab Recombinant Monoclonal Antibody

Applications WB,ELISA

Cross-Reactivity Human, Mouse, Rat

Background

This gene encodes a heme-containing peroxidase that is secreted into the extracellular matrix. It is involved in extracellular matrix formation, and may function in the physiological and pathological fibrogenic response in fibrotic kidney. Mutations in this gene cause corneal opacification and other ocular anomalies, and also microphthalmia and anterior segment dysgenesis.

Immunogen Information

WB	1:7700 - 1:30800
ELISA	Recommended starting concentration is 1 µg/mL. Please optimize the concentration based on your specific assay requirements.

Recommended Dilutions

Gene ID 7837

Swiss Prot Q92626

Immunogen

Recombinant fusion protein containing a sequence corresponding to amino acids 431-520 of human PXDN (NP_036425.1).

Synonyms

PXN; VPO; MG50; PRG2; ASGD7; COPOA; D2S448; D2S448E; hsPxd01

Product Information

www.abclonal.com

Isotype IgG **Purification** Affinity purification


Storage

Source

Rabbit

Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.09% Sodium azide,0.05% BSA,50% glycerol,pH7.3.

Validation Data



Western blot analysis of various lysates using PXDN Rabbit mAb (A26777) at 1:15000 dilution incubated overnight at 4°C. Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution. Lysates/proteins: 25 µg per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit (RM00020). Negative control (NC): Daudi Exposure time: 45s.