NPC1 Rabbit pAb

Catalog No.: A3993



Basic Information

Observed MW Refer to figures

Calculated MW 142kDa

Category Polyclonal Antibody

Applications WB,ELISA

Cross-Reactivity Human

Background

This gene encodes a large protein that resides in the limiting membrane of endosomes and lysosomes and mediates intracellular cholesterol trafficking via binding of cholesterol to its N-terminal domain. It is predicted to have a cytoplasmic C-terminus, 13 transmembrane domains, and 3 large loops in the lumen of the endosome - the last loop being at the N-terminus. This protein transports low-density lipoproteins to late endosomal/lysosomal compartments where they are hydrolized and released as free cholesterol. Defects in this gene cause Niemann-Pick type C disease, a rare autosomal recessive neurodegenerative disorder characterized by over accumulation of cholesterol and glycosphingolipids in late endosomal/lysosomal compartments.

Recommended Dilutions

| WB | 1:500 - 1:2000 |
|-------|--|
| ELISA | Recommended starting concentration is 1 µg/mL. Please optimize the concentration based on your specific assay requirements. |

Immunogen Information

Gene ID 4864 **Swiss Prot** 015118

Immunogen

Recombinant protein (or fragment). This information is considered to be commercially sensitive.

Synonyms

NPC; POGZ; SLC65A1; NPC1

Contact

Product Information

www.abclonal.com

Source Rabbit

Isotype IgG **Purification** Affinity purification

Storage

Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.