TRPM2 Rabbit pAb

Catalog No.: A6137 2 Publications



Basic Information

Observed MW 171kDa

Calculated MW 171kDa

Category Polyclonal Antibody

Applications WB,IF/ICC,ELISA

Cross-Reactivity Mouse,Rat

Recommended Dilutions

Background

The protein encoded by this gene forms a tetrameric cation channel that is permeable to calcium, sodium, and potassium and is regulated by free intracellular ADP-ribose. The encoded protein is activated by oxidative stress and confers susceptibility to cell death. Alternative splicing results in multiple transcript variants encoding distinct protein isoforms. Additional transcript variants of this gene have been described, but their full-length nature is not known.

Immunogen Information

WB	1:100 - 1:500	Gene ID	Swiss Prot
IF/ICC	1:50 - 1:100	7226	O94759
		Immunogen	

Recombinant fusion protein containing a sequence corresponding to amino acids 1204-1503 of human TRPM2 (NP_003298.1).

Synonyms


KNP3; EREG1; TRPC7; LTRPC2; NUDT9H; LTrpC-2; NUDT9L1; TRPM2

Contact		Product Information			
Ð	www.abclonal.com	Source Rabbit	Isotype IgG	Purification Affinity purification	

Storage


Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.

Validation Data




Western blot analysis of extracts of Mouse lung, using TRPM2 antibody (A6137) at 1:500 dilution.

Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution. Lysates/proteins: 25µg per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Enhanced Kit (RM00021). Exposure time: 90s.



Immunofluorescence analysis of rat brain using TRPM2 antibody (A6137) at dilution of 1:100. Blue: DAPI for nuclear staining.



Immunofluorescence analysis of mouse brain using TRPM2 antibody (A6137) at dilution of 1:100. Blue: DAPI for nuclear staining.