ABclonal www.abclonal.com

SLC23A2 Rabbit pAb

Catalog No.: A6740 4 Publications

Basic Information

Observed MW

70kDa

Calculated MW

70kDa

Category

Polyclonal Antibody

Applications

WB,ELISA

Cross-Reactivity

Human, Mouse

Background

The absorption of vitamin C into the body and its distribution to organs requires two sodium-dependent vitamin C transporters. This gene encodes one of the two required transporters and the encoded protein accounts for tissue-specific uptake of vitamin C. Previously, this gene had an official symbol of SLC23A1.

Recommended Dilutions

WB

1:1000 - 1:5000

Immunogen Information

Gene ID 9962 **Swiss Prot**

Q9UGH3

Immunogen

Recombinant fusion protein containing a sequence corresponding to amino acids 1-98 of human SLC23A2 (NP_005107.4).

Synonyms

NBTL1; SVCT2; YSPL2; SLC23A1; SLC23A2

Contact

•

www.abclonal.com

Product Information

Source Rabbit Isotype

Purification

•


IgG Affinity purification

Storage

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS with 0.05% proclin300,50% glycerol,pH7.3.

Validation Data



Western blot analysis of various lysates, using SLC23A2 Rabbit pAb (A6740) at 1:2000 dilution.

Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.

Lysates/proteins: 25µg per lane.

Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Basic Kit (RM00020).

Exposure time: 90s.