Leader in Biomolecular Solutions for Life Science

GTF3C4 Rabbit pAb

Catalog No.: A9287



Basic Information

Observed MW

95kDa

Calculated MW

92kDa

Category

Polyclonal Antibody

Applications

WB,IF/ICC,ELISA

Cross-Reactivity

Human, Rat

Background

Predicted to enable enzyme activator activity. Predicted to contribute to DNA binding activity. Predicted to be involved in 5S class rRNA transcription by RNA polymerase III and tRNA transcription by RNA polymerase III. Located in mitochondrion and nucleoplasm. Part of transcription factor TFIIIC complex.

Recommended Dilutions

WB 1:500 - 1:2000

IF/ICC 1:50 - 1:200

Immunogen Information

Gene ID9329

Swiss Prot
Q9UKN8

Immunogen

Recombinant fusion protein containing a sequence corresponding to amino acids 583-822 of human GTF3C4 (NP_036336.2).

Synonyms

KAT12; TFIII90; TFIIIC90; TFIIIC290; TF3C-delta; TFIIICDELTA; GTF3C4

Contact

www.abclonal.com

Product Information


SourceIsotypePurificationRabbitIgGAffinity purification

Storage

Store at -20°C. Avoid freeze / thaw cycles.

Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.

Validation Data




Western blot analysis of extracts of various cell lines, using GTF3C4 antibody (A9287) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (AS014) at 1:10000 dilution.


Lysates/proteins: 25µg per lane. Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Basic Kit (RM00020).

Exposure time: 1s.



Immunofluorescence analysis of C6 cells using GTF3C4 Polyclonal Antibody (A9287) at dilution of 1:100 (40x lens). Blue: DAPI for nuclear staining.



Immunofluorescence analysis of U-2 OS cells using GTF3C4 Polyclonal Antibody (A9287) at dilution of 1:100 (40x lens). Blue: DAPI for nuclear staining.