Mouse anti Trx-Tag mAb

Catalog No.: AE023 1 Publications





Basic Information

Observed MW Refer to Figures

Calculated MW

Category Monoclonal Antibody

Applications WB,ELISA

Cross-Reactivity Species independent

CloneNo number AMC0511

Background

Thioredoxin is a class of small redox proteins known to be present in all organisms. It plays a role in many important biological processes, including redox signaling. In humans, thioredoxins are encoded by TXN and TXN2 genes. Loss-of-function mutation of either of the two human thioredoxin genes is lethal at the four-cell stage of the developing embryo. Although not entirely understood, thioredoxin plays a central role in humans and is increasingly linked to medicine through their response to reactive oxygen species (ROS). In plants, thioredoxins regulate a spectrum of critical functions, ranging from photosynthesis to growth, flowering and the development and germination of seeds. It has also recently been found to play a role in cell-to-cell communication.

Immunogen Information

WB 1:2000 - 1:5000 ELISA Recommended starting concentration is 1 µg/mL. Please optimize the concentration based on your specific assay requirements.

Recommended Dilutions

Gene ID

Immunogen Recombinant protein of Trx tag

Synonyms TRX;TRX tag;TRX-tag **Swiss Prot**

Contact

Product Information

Ð www.abclonal.com

Source Mouse


Isotype IgG1

Purification Affinity purification

Storage

Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.

Validation Data



Western blot analysis of over-expressed Trx fusion protein using Mouse anti Trx-Tag mAb (AE023) at 1:5000 dilution.

Secondary antibody: HRP-conjugated Goat anti-Mouse IgG (H+L) (AS003) at 1:10000 dilution.

Blocking buffer: 3% nonfat dry milk in TBST.