

RP00109

Leader in Biomolecular Solutions for Life Science



Recombinant Human Clusterin/Apo-J/CLU Protein

Catalog No.: RP00109

Recombinant

Sequence Information

Species	Gene ID	Swiss Prot
HEK293 cells	1191	P10909

Tags

C-His

Synonyms

CLU;AAG4;APO-J;APOJ;CLI;CLU1;CLU2;KUB1;NA1/NA2;SGP-2;SGP2;SP-40;TRPM-2;TRPM2;clusterin;Clusterin alpha chain

Product Information

Source	Purification
HEK293 cells	> 85% by SDS-PAGE.

Endotoxin

< 0.1 EU/μg of the protein by LAL method.

Formulation

Lyophilized from a 0.22 μm filtered solution of PBS, pH 7.4. Contact us for customized product form or formulation.

Reconstitution

Centrifuge the vial before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid vortex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stabilizer (e.g. 0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles.

Background

The protein encoded by this gene is a secreted chaperone that can under some stress conditions also be found in the cell cytosol. It has been suggested to be involved in several basic biological events such as cell death, tumor progression, and neurodegenerative disorders. Alternate splicing results in both coding and non-coding variants.

Basic Information

Description

Recombinant Human Clusterin/Apo-J/CLU Protein is produced by HEK293 expression system. The target protein is expressed with sequence (Asp23-Arg227 (βchain)&Ser228-Glu449 (αchain)) of human Clusterin/Apolipo J/Apo-J/CLU (Accession #NP_001822) fused with a 6×His tag at the C-terminus.

Bio-Activity

Storage


Store at -20°C. Store the lyophilized protein at -20°C to -80 °C up to 1 year from the date of receipt. After reconstitution, the protein solution is stable at -20°C for 3 months, at 2-8°C for up to 1 week. Avoid repeated freeze/thaw cycles.

Contact



www.abclonal.com

Validation Data



Recombinant Human Clusterin/Apo-J/CLU Protein was determined by SDS-PAGE with Coomassie Blue, showing bands at 39-40 kDa.