ABclonal®

Recombinant Human CD79B Protein

Catalog No.: RP00525 Recombinant

Sequence Information

Species Gene ID Swiss Prot HEK293 cells 974 P40259-1

Tags

C-hFc

Synonyms

B29; CD79b molecule; CD79B; IGB; IGBAGM6; Ig-beta; $Ig-\beta$

Product Information

Source Purification HEK293 cells > 95% by SDS

s > 95% by SDS-PAGE ; > 95% by

HPLC

Endotoxin

< 1 EU/ μ g of the protein by LAL method

Formulation

Lyophilized from 0.22 µm filtered solution in PBS (pH 7.4). Normally 8% trehalose is added as protectant before lyophilization.

Reconstitution

Centrifuge the vial before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid vortex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stablizer (e.g. 0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles.

Contact

•

www.abclonal.com

Background

CD79B (also known as B29, Ig beta and B cell antigen receptor complex-associated protein beta-chain) is a 36-40 kDa member of the Ig-Superfamily. It is required in cooperation with CD79A for initiation of the signal transduction cascade activated by the B-cell antigen receptor complex (BCR) which leads to internalization of the complex, trafficking to late endosomes and antigen presentation. Enhances phosphorylation of CD79A, possibly by recruiting kinases which phosphorylate CD79A or by recruiting proteins which bind to CD79A and protect it from dephosphorylation.

Basic Information

Description


Recombinant Human CD79B Protein is produced by HEK293 cells expression system. The target protein is expressed with sequence (Ala29-Asp159) of Human CD79B (Accession #P40259-1) fused with a C-hFc tag at the C-terminus.

Bio-Activity


Storage

Store at -20° C. Store the lyophilized protein at -20° C to -80° C up to 1 year from the date of receipt.
After reconstitution, the protein solution is stable at -20° C for 3 months, at 2-8°C for up to 1 week. Avoid repeated freeze/thaw cycles.


Validation Data



Human CD79B on Tris-Bis PAGE under reduced conditions. The purity is greater than 95%.



The purity of Human CD79B is greater than 95% as determined by SEC-HPLC.



Immobilized Human CD79B, hFc Tag at 0.5 μ g/mL (100 μ L/well) on the plate. Dose response curve for Biotinylated Anti-CD79B Antibody, hFc Tag with the EC₅₀ of 10.5ng/mL determined by ELISA.