# **Recombinant Human Fc-gamma RI/CD64 Protein**

Catalog No.: RP01144 Recombinant

Sequence	Information
----------	-------------

Background

Species Gene ID Swiss Prot HEK293 cells 2209 P12314

Tags C-His

## Synonyms

FCGR1A; CD64; CD64A; FCRI; IGFR1; Fc fragment of IgG receptor Ia;CD64;CD64A;FCRI;IGFR1

## **Product Information**

Purification
> 90 % by SDS-
PAGE.

## Endotoxin

< 1.0 EU/µg of the protein by LAL method.

## Formulation

Lyophilized from a 0.22 µm filtered solution PBS, pH 7.4.Contact us for customized product form or formulation.

## Reconstitution

Centrifuge the vial before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid vortex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stablizer (e.g. 0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles.

## Contact

G

www.abclonal.com

This protein is a protein that plays an important role in the immune response. This protein is a high-affinity Fc-gamma receptor. The gene is one of three related gene family members located on chromosome 1.

## **Basic Information**

## Description

Recombinant Human Fc-gamma RI/CD64 Protein is produced by HEK293 cells expression system. The target protein is expressed with sequence (Met1-Pro288) of human CD64 (Accession #NP\_000557.1) fused with a 6×His tag at the Cterminus.

## **Bio-Activity**

#### Storage

Store the lyophilized protein at -20°C to -80 °C for long term. <br > After reconstitution, the protein solution is stable at -20 °C for 3 months, at 2-8 °C for up to 1 week.

Avoid repeated freeze/thaw cycles.



# Validation Data

170kDa — 130kDa —	=
100kDa — 70kDa —	-
55kDa —	
40kDa —	
35kDa —	
25kDa —	
15kDa —	
10kDa —	

Recombinant Human Fc-gamma RI/CD64 Protein was determined by SDS-PAGE with Coomassie Blue, showing a band at 32 kDa.