ABclonal www.abclonal.com

Recombinant Human IL-15 Protein

Catalog No.: RP01751 Recombinant

Sequence Information

Species Gene ID Swiss Prot HEK293 cells 3600 P40933-1

Tags C-hFc

Synonyms IL-15; IL15

Product Information

Source Purification

HEK293 cells ≥ 95 % as determined by SDS-PAGE.

Endotoxin

< 1 EU/ μ g of the protein by LAL method.

Formulation

Lyophilized from a 0.22 µm filtered solution of PBS, pH 7.4.

Reconstitution

Centrifuge the vial before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid vortex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stablizer (e.g. 0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles.

Contact

www.abclonal.com

Background

Mouse interleukin-15 receptor subunit alpha, also known as Il15ra, is a high-affinity receptor for interleukin-15.Il15ra associates as a heterotrimer with the IL-2 receptor beta and gamma subunits (Common gamma chain, orgamma c) to initiate signal transduction. It can signal both in cis and trans where IL15R from one subset of cellspresents IL15 to neighboring IL2RG-expressing cells. Il15ra is expressed in special cells including a wide varietyof Tand B cells and non-lymphoid cells. Human Il15ra shares 45% amino acid sequence homology with themouse form of the receptor. Eight isoforms of IL-15 R alpha mRNA have been identified, resulting fromalternative splicing events involving different exons.

Basic Information

Description

Recombinant Human IL-15 Protein is produced by HEK293 cells expression system. The target protein is expressed with sequence (Asn49-Ser162) of Human IL-15 (Accession #NP_000576.1) fused with and a hFc tag at the C-terminus.

Bio-Activity

Measured in a cell proliferation assay using HT-2 mouse T cells. The ED $_{50}$ for this effect is 27-108 ng/mL, corresponding to a specific activity of 9.26×10^3 - 3.70×10^4 units/mg.

Storage


Store at -20°C. Store the lyophilized protein at -20°C to -80 °C up to 1 year from the date of receipt.

After reconstitution, the protein solution is stable at -20°C for 3 months, at $2-8^{\circ}$ C for up to 1 week.


Avoid repeated freeze/thaw cycles.

^{*} For your safety and health, please wear a lab coat and disposable gloves when handling.

Validation Data



Recombinant Human IL-15 Protein was determined by SDS-PAGE under reducing conditions with Coomassie Blue.



Recombinant Human IL-15 stimulates cell proliferation of the HT-2 mouse T cells. The ED $_{50}$ for this effect is 27-108 ng/mL, corresponding to a specific activity of 9.26×10^3 - 3.70×10^4 units/mg.