

RP01764

Leader in Biomolecular Solutions for Life Science



Recombinant Mouse Periostin/PN/POSTN Protein

Catalog No.: RP01764

Recombinant

Sequence Information

Species	Gene ID	Swiss Prot
HEK293 cells	50706	Q62009-2

Tags

C-6His

Synonyms

PN; PLF; Osf2; OSF-2; A630052E07Rik ;
POSTN

Product Information

Source	Purification
HEK293 cells	≥ 95 % as determined by SDS-PAGE.

Endotoxin

< 0.1 EU/μg of the protein by LAL
method.

Formulation

Lyophilized from a 0.22 μm filtered
solution of PBS, pH 7.4.

Reconstitution

Centrifuge the vial before opening.
Reconstitute to a concentration of
0.1-0.5 mg/mL in sterile distilled water.
Avoid vortex or vigorously pipetting
the protein. For long term storage, it is
recommended to add a carrier protein
or stabilizer (e.g. 0.1% BSA, 5% HSA,
10% FBS or 5% Trehalose), and aliquot
the reconstituted protein solution to
minimize free-thaw cycles.

Background

Periostin (POSTN), also known as OSF2 (osteoblast specific factor 2), is a heterofunctional secreted extracellular matrix (ECM) protein comprised of four fasciclin domains that promotes cellular adhesion and movement, as well as collagen fibrillogenesis. Postn is frequently overexpressed in various types of human cancers, stimulating metastatic growth by promoting cancer cell survival, invasion and angiogenesis, and can be a useful marker to predict the behavior of cancer.

Basic Information

Description

Recombinant Mouse Periostin/PN/POSTN Protein is produced by HEK293 cells expression system. The target protein is expressed with sequence (Asn24-Gln811) of mouse Periostin/PN/POSTN (Accession #NP_056599.1) fused with a 6×His tag at the C-terminus.

Bio-Activity

Measured by its ability to induce adhesion of ATDC5 mouse chondrogenic cells. Immobilized Recombinant Human Periostin/OSF2 at 10 μg/mL (100 μL/well) induces >18% cell adhesion.

Storage

Store at -20°C. Store the lyophilized protein at -20°C to -80 °C up to 1 year from the date of receipt.
After reconstitution, the protein solution is stable at -20°C for 3 months, at 2-8°C for up to 1 week.
Avoid repeated freeze/thaw cycles.


Contact



www.abclonal.com

* For your safety and health, please wear a lab coat and disposable gloves when handling.

Validation Data



Recombinant Mouse
Periostin/PN/POSTN Protein was
determined by SDS-PAGE under
reducing conditions with Coomassie
Blue.