

Recombinant Human Beta-nerve growth factor/NGFB Protein

Catalog No.: RP01792 Recombinant

Sequence Information

Species Gene ID Swiss Prot HEK293 cells 4803 P01138

Tags C-His

Synonyms

NGFB; HSAN5; Beta-NGF

Product Information

Source

Purification

HEK293 cells

> 92% by SDS-PAGE.

Endotoxin

<0.01EU/µg

Formulation

Lyophilized from a 0.22 µm filtered solution of PBS, pH 7.4.

Reconstitution

Centrifuge the vial before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid vortex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stablizer (e.g. 0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles.

Contact



www.abclonal.com

Background

NGF is a well-characterized neurotropic protein that plays a critical role in the development of sympathetic and some sensory neurons in the peripheral nervous system. In addition, NGF can also act in the central nervous system as a trophic factor for basal forebrain cholinergic neurons. NGF has also been shown to have biological effects on non-neuronal tissues. NGF is mitogenic for a factor?dependent human erythroleukemic cell line, TF-1. NGF has been found to increase the number of mast cells in neonatal rats and to induce histamine release from peritoneal mast cells. NGF will enhance histamine release and strongly modulate the formation of lipid mediators by basophils in response to various stimuli. NGF will also induce the growth and differentiation of human B lymphocytes as well as suppress apoptosis of murine peritoneal neutrophils. These results, taken together, suggest that NGF is a pleiotropic cytokine which, in addition to its neurotropic activities, may have an important role in the regulation of the immune system.

Basic Information

Description

Recombinant Human Beta-nerve growth factor/NGFB Protein is produced by HEK293 cells expression system. The target protein is expressed with sequence (Glu19-Ala241) of human NGF (Accession #NP_002497.2) fused with and a 6×His tag at the C-terminus.

Bio-Activity

Recombinant Human NGF stimulates cell proliferation of the TF□ 1 human erythroleukemic cells. The ED₅₀ for this effect is 2.2-8.6 ng/mL, corresponding to a specific activity of 1.16×10⁵ -4.55×10<sup> because of the total proliferation of the TF□ 1 human erythroleukemic cells. The ED<sub>5</sup> this effect is 2.2-8.6 ng/mL, corresponding to a specific activity of 1.16×10⁵ units/mg.


Storage

Store at -20° C. Store the lyophilized protein at -20° C to -80° C up to 1 year from the date of receipt.


-20 $^{\circ}$ C for 3 months, at 2-8 $^{\circ}$ C for up to 1 week.

Avoid repeated freeze/thaw cycles.

Validation Data



Recombinant Human Beta-NGF/NGF/NGFB Protein was determined by SDS-PAGE with Coomassie Blue, showing a band at 15-20 kDa.



Recombinant Human NGF stimulates cell proliferation of the TF \square 1 human erythroleukemic cells. The ED $_{50}$ for this effect is 2.2-8.6 ng/mL, corresponding to a specific activity of 1.16×10^5 - 4.55×10^5 units/mg.