# ABclonal www.abclonal.com

# **Recombinant Human CD320 Protein**

Catalog No.: RP01815 Recombinant

## **Sequence Information**

**Species Gene ID Swiss Prot** HEK293 cells 51293 Q9NPF0-1

Tags

C-His

#### **Synonyms**

8D6; 8D6A; TCBLR; TCN2R; TCII-R; sCD320;CD320

#### **Product Information**

Source

Purification

HEK293 cells

≥ 95 % as determined by SDS-PAGE.

#### **Endotoxin**

 $< 0.01 \, \text{EU/} \mu \text{g}$  of the protein by LAL method

## **Formulation**

Lyophilized from a 0.22 µm filtered solution of PBS, pH 7.4.

#### Reconstitution

Centrifuge the vial before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid vortex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stablizer (e.g. 0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles.

#### Contact



www.abclonal.com

## **Background**

CD320 is a heavily glycosylated protein that is expressed as a noncovalent dimer in the kidney, placenta, liver, intestine, and secondary lymphoid organs (3 - 5). It functions as an endocytic receptor for circulating complexes of Cobalamin (Vitamin B12) and Transcobalamin II. In the immune system, CD320 is expressed by germinal center B cells and follicular dendritic cells (FDC) and provides a co□ stimulatory signal to B cells during the germinal center reaction (2, 6 - 8). CD320 also cooperates with CD44 in promoting the development of B cell lymphomas.

#### **Basic Information**

#### Description

Recombinant Human CD320 Protein is produced by HEK293 cells expression system. The target protein is expressed with sequence (Ser36-Val231) of human CD320 (Accession #NP\_057663.1) fused with a His tag at the C-terminus.

#### **Bio-Activity**

#### Storage


Store at -20°C. Store the lyophilized protein at -20°C to -80 °C up to 1 year from the date of receipt.

After reconstitution, the protein solution is stable at  $-20^{\circ}$ C for 3 months, at  $2-8^{\circ}$ C for up to 1 week.

Avoid repeated freeze/thaw cycles.

<sup>\*</sup> For your safety and health, please wear a lab coat and disposable gloves when handling.

# **Validation Data**



Recombinant Human CD320 Protein was determined by SDS-PAGE under reducing conditions with Coomassie Blue.