Recombinant Human B7-H7/HHLA2 Protein

Catalog No.: RP02675 Recombinant

Sequence Information

SpeciesGene IDSwiss ProtHEK293 cells 11148Q9UM44-1

Tags C-His

Synonyms B7H7; B7-H7; HHLA2; B7 Homolog 7

Product Information

Source	Purification
HEK293 cells	> 95% as
	determined by
	Tris-Bis PAGE ; >
	95% as determined
	by HPLC

Endotoxin

Less than 1EU per μ g by the LAL method.

Formulation

Reconstitution

Centrifuge the tube before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid vortex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stablizer (e.g. 0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles.

Contact

<u>www.abclonal.com</u>

Background

B7-H7, also known as HHLA2 (HERV-H LTR-associating 2), is a member of the B7 family of immune regulatory proteins.Through interaction with TMIGD2, costimulates T-cells in the context of TCR-mediated activation. Enhances T-cell proliferation and cytokine production via an AKT-dependent signaling cascade.

Basic Information

Description

Recombinant Human B7-H7/HHLA2 Protein is expressed from Expi293 with His tag at the C-terminal. ; It contains Ile23-Asn344.


Bio-Activity

Storage


Store at -20°C.Store the lyophilized protein at -20°C to -80 °C up to 1 year from the date of receipt.
 After reconstitution, the protein solution is stable at -20°C for 3 months, at 2-8°C for up to 1 week. Avoid repeated freeze/thaw cycles.




Validation Data



Human B7-H7 on Tris-Bis PAGE under reduced condition. The purity is greater than 95%.



The purity of Human B7-H7 is greater than 95% as determined by SEC-HPLC.



Immobilized Human B7-H7, His Tag at 2μ g/ml (100 μ l/well) on the plate. Dose response curve for Human CD28H, hFc Tag with the EC₅₀ of 0.20 μ g/ml determined by ELISA.