

Recombinant Human Glycophorin-A/GYPA/CD235a protein

Catalog No.: RP02835 Recombinant

Sequence Information

Species Gene ID Swiss Prot HEK293 cells 2993 P02724-1

Tags

C-hFC

Synonyms

PAS-2; CD235a; GPA; GPErik; GpMiIII; GPSAT; GYPA; HGpMiIII; HGpMiV; HGpMiX; HGpMiXI; HGpSta(C); MNS; CD235a; MN

Product Information

Source Purification

HEK293 cells \geq 95 % as determined by SDS-PAGE; \geq 95 %

as determined by HPLC.

Endotoxin

 $< 0.01 \; \text{EU/}\mu\text{g}$ of the protein by LAL method

Formulation

Lyophilized from a 0.22 µm filtered solution of PBS, pH 7.4.

Reconstitution

Centrifuge the tube before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid vortex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stablizer (e.g. 0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles.

Contact

www.abclonal.com

Background

Granulomatosis with polyangiitis (GPA) presents a wide spectrum of manifestations from the common respiratory symptoms to infrequent neurological and cardiac complications. The challenge in diagnosis and management makes the rapidly progressive disorder one of the most challenging dilemmas in clinical medicine. The ultimate goal is an improved prognosis through outcome measures which assesses the disease control with minimal adverse effects of intensive immunosuppressive regimens, an integral part of the clinical approach to improve the quality of life of GPA patients.

Basic Information

Description

Recombinant Human Glycophorin-A Protein is produced by HEK293 cells expression system. The target protein is expressed with sequence (Leu20-Glu91) of human Glycophorin-A (Accession #NP_002090.4) fused with a hFc tag at the C-terminus.

Bio-Activity

Anti-GPA Antibody immobilized on CM5 Chip can bind Human GPA, hFc Tag with an affinity constant of $0.72~\mu M$ as determined in SPR assay (Biacore T200).

Storage


Store at -20°C. Store the lyophilized protein at -20°C to -80 °C up to 1 year from the date of receipt.

After reconstitution, the protein solution is stable at -20° C for 3 months, at $2-8^{\circ}$ C for up to 1 week.


Avoid repeated freeze/thaw cycles.

^{*} For your safety and health, please wear a lab coat and disposable gloves when handling.


Validation Data



Anti-GPA Antibody immobilized on CM5 Chip can bind Human GPA, hFc Tag with an affinity constant of 0.72 μ M as determined in SPR assay (Biacore T200).



Recombinant Human Glycophorin-A/GYPA/CD235a protein was determined by SDS-PAGE under reducing conditions with Coomassie Blue.



The purity of Human Glycophorin-A is greater than 95% as determined by SEC-HPLC.