

Catalog No.: RP03146 Recombinant

Sequence Information

Species	Gene ID	Swiss Prot
HEK293 cells	8836	Q92820

Tags C-His

Synonyms

Gamma-glutamyl hydrolase; GGH; Gamma-Glu-X carboxypeptidase

Product Information

Source HEK293 cells Purification > 95% by SDS-

PAGE.

Endotoxin

< 1 EU/ μ g of the protein by LAL method.

Formulation

Lyophilized from a 0.22 µm filtered solution of 20 mM Tris, 150 mM NaCl, pH 8.0. Contact us for customized product form or formulation.

Reconstitution

Centrifuge the vial before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid vortex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stablizer (e.g. 0.1% BSA, 5% HSA, 10% FBS or 5% Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles.

Contact

€

www.abclonal.com

Background

gamma-Glutamyl hydrolase (GGH) regulates intracellular folates and antifolates such as methotrexate (MTX) for proper nucleotide biosynthesis and antifolateinduced cytotoxicity, respectively. GGH is a ubiquitously-expressed enzyme that regulates intracellular folate metabolism for cell proliferation, DNA synthesis, and repair. cytoplasmic GGH might play a relevant role in the development and progression of invasive breast cancer.

Basic Information

Description

Recombinant Human Gamma-glutamyl hydrolase/GGH Protein is produced by HEK293 Cells expression system. The target protein is expressed with sequence (Arg25-Asp318) of Human Gamma-glutamyl hydrolase/GGH (Accession #NP_003869.1) fused with a 6×His tag at the C-terminus.


Bio-Activity

Storage

Store at -20°C. Store the lyophilized protein at -20°C to -80 °C up to 1 year from the date of receipt.
 After reconstitution, the protein solution is stable at -20°C for 3 months, at 2-8°C for up to 1 week. Avoid repeated freeze/thaw cycles.



Validation Data



Recombinant Human Gammaglutamyl hydrolase/GGH Protein was determined by SDS-PAGE with Coomassie Blue, showing a band at 38-42 kDa.