ABclonal®

N-terminal Biotin-Ubiquitin

Catalog No.: RP10199DLQ

Sequence Information

Species Gene ID Swiss Prot chemical POCG47

synthesis

Tags

No Tag

Synonyms

Product Information

Source Purification

chemical synthesis ≥ 90 % as determined by SDS-PAGE.

Endotoxin

Please contact us for more information.

Formulation

20 mM Tris, 100 mM NaCl, 10% glycerol (pH 7.6 at 4 $^{\circ}$ C)

Reconstitution

Background

A single biotin moiety is conjugated on the N-terminus of ubiquitin. All lysine residues of ubiquitin are still available for formation of polyubiquitin chains. The extremely high binding affinity between biotin and streptavidin allows the use of N-terminal biotin-ubiquitin for the following in vitro assays: 1) rapid and efficient purification of polyubiquitinated substrate proteins; 2) monitoring substrate ubiquitination using an HRP-conjugated streptavidin antibody; and 3) setting up high throughput FRET assays to monitor substrate ubiquitination in assays screening E3 ubiquitin ligase inhibitors.

Basic Information

Description

Bio-Activity

Storage

Store at -70°C. This product is stable at \leq -70°C for up to 1 year from the date of receipt. For optimal storage, aliquot into smaller quantities after centrifugation and store at recommended temperature. Avoid repeated freeze-thaw cycles. Avoid repeated freeze/thaw cycles.


Contact

•

www.abclonal.com

^{*} For your safety and health, please wear a lab coat and disposable gloves when handling.

Validation Data



LC-MS of N-terminal Biotin-Ubiquitin.